Yi 2
7394
F 10

10

Chorea — p. 439
Asthma — 440
Dyspnoea — 445
Angina pectoris 445
Tussis — 446
Pyrosis — 449
Colica — 457
Diarrhoea — 456
Vomitus — 464
Palpitatio 464
Singultus 464
Dyspepsia 465

V See also Dr Shirry's History of these Species of Hysteria Vol: II. P 120 Melancholy - madness & Epilepsy common with it.

† This disposition to laugh is sometimes so deeply seated in our hysterical constitution as to appear at very improper times. — The late Revd Mr Duche was often affected with it in the pulpit so forcibly that he was obliged to pinch himself severely in order to create pain & or a counter irritation.

– back – and a small Spot ~~of~~ on the head –
called Clavus hystericus. – Besides these it
has some Symptoms peculiar to itself –
such as weeping – ~~laughing~~ sobbing – despondency –
and even despair – Anger – jealousy – love – hatred – terror
all excited by the slightest causes, but
~~even~~ of them durable – frightful Dreams –
wakefulness or
in sleep – and what is very extraordinary –
the reverse of all these, – occasional fits
of intemperate ~~Levity~~ mirth manifested by loud & violent laughter – sometimes succeeding, & sometimes preceding fits
of crying. – This is a short acc^t of the
usual forms under wh hysteria makes its
appearance. I shall read from Dr
Cullen an acc^t of a paroxysm of the
hysteria. Vol: iv p: 93.

It affects women more than men –

v in the nervous system accompanied
most commonly like Epilepsy with
plethora in the blood vessels, but
when without it, the mobility is
the same. —

+ Its remote causes act on the body &
plethora
mind. Those which act on the body are
an
inordinate flow, or Obstructions of the menses.
Chlorosis - strong chemical
The fluor albus strong drink,
appetite —
and above all strong tea. It is owing to the
last of these that it more common in kitchens,
than in high life. Those ch which are on the body are
fingers, malice, envy, Love, Jealousy, & unnatural
desires.

Its exciting causes act likewise on
the body and mind. The former are,

- from puberty to 35 - but sometimes after 25 yrs
often before 14 - & old - & 6 - Jains
frequently from 40 - to 45 - the usual period in
which the menses begin to cease - Its effects
women of exquisitely plethoric habits, &
sometimes women of inferior habits & constitutions.

- Girls & maids & widows - & women
women are most subject to it. 2d month.
It is distinguished from epilepsy by no foaming at the mouth.
Its predisposing cause is debility.

- This debility is connected with inanition or
plethora — the latter predisposes to it as much
as the former from indirect debility.
under the head of febrile diseases
it we saw it produces Rheumatism & pneumony.

- Under the head of diseases it produces
Epilepsy & hysteria.

+ Its exciting causes are a defect or
excess of the senses - fluor albus - Obst?
Cirrosis - & lascivousness - debil? drinks - esp.y
Strong teas. - produced by them in plethorics.
Its exciting causes are sudden emotions
with as terror, anger, surprise - &
joy. of the mind, especially sudden - offensive
also

offensive smells – impure air – d fatigue,
the latter which act most frequently are
Terror, ~~anger~~, joy, Surprise, and a fresh
or sudden impression from any of the
passions which predispose to it. The System
Nervous System is those cases in is said to be
uncommonly mobile – that is – in a state
of weak excitement, with an excess of
floating excitability.

☞ The Hysterical state of the Constitution is
distinguished from the Hypocondriacal, by
1 facility of motion. 2 Instability of mind. In
Hypocon: the mind uniformly depressed. 3
In being worst in hot & best in cold weather,
& why?. – The cold is a sedative to the Symp:
:toms of the disease requires – 4 In affecting women
more than men. 5 In the globus hystericus. –
6 In the absence of Dyspepsia – of this
I took notice formerly. Hypocond: is to Hyst.
with hysterics fever is to Inflam: or Synocha.

~~Insanity treated of~~

Its proximate cause is "a mixture of excess & deficiency of action". The excess here is less than in Epilepsy - and this I take to be the principal circumstance wh distinguishes it from Epilepsy - hence - we find the functions of the brain so much less disturbed by it. - Recollect all the symptoms wh have been enumerated - & most of them indicate deficiency of action. It is moreover a more curable disease than Epilepsy - from one class of medicines acting more simply upon it.

A great degree of mobility or excitab.y occurs in this disease - but the excitement is always weak - hence no preternatural strength is ever discovered in a fit of hysteria. V

Cure divides itself into

The indication of cure is to lessen the excitab.y

℣ To the 1st belong the remedies proper in a paroxysm of Hysteria? These are

℣ 1 Vs. when the Hysterics plethoric, and ~~vascular Abstinence~~ ~~Opium~~ which is generally the case when arises from Abstructed menses or where it occurs in persons of ~~no~~ good appetites:—

2 opening and stimulating Clysters.

3 Stimulating Odors applied to the nose such as Sp C C — burnt feathers, ℥ Asafoetida — A Physician in New Orleans having tried the above Odors to no purpose pulled of his boot, and applied his toes smoaking with a fetid perspiration to the nose of his patient. the remedy succeeded — The Others more common Odors had probably lost their effect from habit. 4 pediluvium:

5 mustard, and garlic to the feet.

6 as a great deal of the distress of the

~~of the nervous system, by changing it into regular healthy excitement.~~ – The remedies Stimulants. These are
for this purpose – are V. 1 The cold Bath – This
has often been used with advantage. or Shower bath.
mornings the long applic[n] of the cold water. 20 hours.
2 The Stimulating Gums – Asafetida – an
universal remedy for this purpose – but
Galbanum – Sagapenum & myrrh – have
all been used with success. 3 The metallic tonics
1/4 tea: Do most good when given before
3 Stimulating applications to the bowels. The
Galbanum plaster is excellent for this purpose.
4 compresses, or bandages which by giving tone
to the nervous system lessen excitability. Mr.
Swieten's fact relates a cure performed by them.
– cited in Ferguson's cases. —
5 An accommodation of the diet to the system
whether plethoric, or otherwise – When
plethoric – not nutritious, but stimulating.
6 Exercise – especially on horseback.
7 Change of The constant pursuit of some

patient arises from Air pent up in the
bowels, it shd be discharged by fixing
a glysterspipe in the Anus. Such is the
Cause of the retrograde motion of y^e bowels,
that the Sphincter ani has been known
to snap of the pipe, or to Draw it
several inches up the bowels. — When the
patient can swallow — opium — flour & water com^n
expels wind.

To the 11^th head belong the Remedies
proper to ~~return~~ prevent a return of
the paroxysm. These are all of a tonic
nature — return to p 436 no 1. — cold Bath.

Of the excitement of ~~Anxieties~~ Passions - Ready ~~Stimulating~~ Passions - Emotions bring on
a fitt - but passions cure it - The first often sudden.
Actions attended w:th no desire or Aversion - the 2nd always
with desire or Aversion - according to D.r Hairs.
- Fear - & Grief - have often caused hysteria.
- also - the influence of true religion - by
fixing the mind on One Object - Mr.
Whitefield's Anecdote. also fact of civil war in
9 cold Climate - or cold air. - 10 Matrimony.

How is a fitt of Hysteria to be treated?

1 If great plethora - attends - gentle V.S. in w:th excess of action -

2 Opening Glysters - if costiveness attends.

3 If the pains - Spasms &c are from ~~a Hysterick fit~~ ~~if flatulency attends~~
deficiency - w:ch is generally the case -
Opium. -

4 Pediluvium. -

5 Stimulants: applications to the nose as Sal.
Vol: Snuff - or burnt feathers or of Garlic
or mustard to the feet. - or tickling ds
Finco.

and Concentrated all the faculties of her mind. +

I do cold climate, & 10 matrimony. I have known it often yield to this remedy, especially if it be followed by Childbearing. —

+ Mrs Rupel the widow of the famous Lord Rupel was rescued from an hysterical head ache which she had for many years, by the distress which followed the execution of her beloved and exellent husband Lord Wm Rupel.

& a glyster pipe - if flatulency attends - it
procures a great discharge of air & gives relief.

Chorea - from p: 424: Vol: 9.

an inquired state of the protion of
the bowels often draws in or keeps
a glyster pipe — the same as we
said took place in the retention of the
Electrified fluid in Epilepsy. —

v It is often a form of Gout. — It sometimes appears in childhood — Sometimes at puberty — Sometimes at 30, and now and then in the decline of life — I have known it continue during a long life. Sir Jn° Floyer who has written on it had it 30 years. — O

+ The Samoom blind in the deserts of Nubia brot on an asthma upon Bruce which he felt for two years afterwards. The East to Different winds affect differently

hence
= It is most frequent in the summer months or Aug to Sept. The most severe fits in the hottest weather.

O Lord that such a thing could not breath in London — Sir Jno Floyer & Jā Mease no where else. —

Asthma

" Difficulty of breathing coming on in paroxysms with difficult respiration — with no expectoration, in the beginning, but copious, in the end of the fitt — commonly in an erect posture." —

Distinguished from Dyspnoea — by not being constant — from Pleurisy — by not being attended with fever or cough.

Its predisposing cause is hereditary — or acquired Debility of the lungs frequently depending on malconformation. This debility is often combined with plethora! The exciting cause I infer is the stimulating not only from the habits it attacks, but coming on in the night — at a time when the system labours under most debility.

Its remote exciting causes are heat + & cooling cold — certain winds — Dry or moist according to the rupture of the asthmatic — certain perspirations — odors — or dust of any kind — eruptions repelled — pregnancy —

Vide Knipe Bradley's case & Shingle's Cha.
from waffels & Buck wheat cake.

V Its proximate cause Spasm of the Bronchia - Pulmonary an affection of the blood vessels - —

Lapsitude

~~P~~ Its precursors - uneasiness in the breast in the right - Drowsiness - flatulency & after dinner - - may be prevented - by a Vomit - & Cured: at this 3 bones dis except the whole System.
Right - v: pediluvium.

+ It often continues thro' life
In Sir Jno Floyer 30 years.

± also cold Drinks - ~~not~~ toast & water often relieved Sir Jno Floyers fits:
all fermentible Drinks here to be avoided.

E cured by pregnancy - new Diseases
change of Climate - &c - &c - 7

Fat meats
& full meals + especially Suppers.

3 By Climate & air suited to the Disease. —
High - & very pure bracing - hence the air of
mountains, & the Sea improper - Dr Jones's
Case when in New York - cured Speedily by remo-
-ving to Nantucket — Case in Providence - city
of London ~~Be~~ relieved Sir Jno Floyer & Increase
+ Lord Shaftsbury could not breath there.
- Sponge in oysters Contains - & contains
moisture necessary to the Lungs - Stoves disagree-
-able. only from consuming all the moisture
of the air - & not prevented —

4 By Setons, especially in plethora —

5 By avoiding all the occasional causes,
especially heat & cold in close Suppression - & cold
feet.

~~By gentle~~

6 By pregnancy ^ Sleeping on a Matrass -
7 Indian life - Mrs Lowry's case - ^
By recurring to old habits. Mrs Morgan
apt to end in Consumption } cured by
Snuff & Stop
6 months fair
it off.

9 by Cold Baths is
Distance of the System 9 to 10 Gaitie 15

Vicissitudes of the weather — In the country
the Barometer shews a change of the weather
nearly half a day sooner than in
large towns. —

Cynanche trachialis

I have lost in this disease have as being more related to asthma, than any other disease. It usually comes on in the night - affects the same persons more than once - and in some instances affects all the Child^n of the same family - it is seldom attended w^th fever, It is most frequently Spasmodic.

I define it " Difficult respiration, with a squeaking inspiration & coarse barking cough" -

Its exciting causes,

Its predisposing cause debility. Variable weather & indigestible food - I have known two cases from cold liquor falling on Child^n - much in one case & cold water in the other.

Its proximate cause the same as the Asthma of adults. Where most action - it is spasmodic - where least - humoral -

It seats in the vesicles bronchia & pustops

+ as much as the Ulcus & tubercles
are the effect & not the cause of a
Consumption, — or as water of Dropsy -
or pus of inflam^{n}: —

extends to the trachea - producing in it
when humoral - or from defect of action -
- the membranes described by authors. Asi-
-es from their inability to discharge the mucus
which is preternaturally secreted in the lungs
of the trachea & Bronchia. It has been con-
-sidered as the cause - but is the effect of the disease +
For its history see Dr Millar - in the papers.

also its diagnostic mentis & cure -

which is I believe its consequence, not its cause.

V fat ~~&~~ It has been considerable as
incurable because treated empirically.
Remedies — governed by the pulse &
state of the System. They are V.S:
blood dissolved in two cases mentioned
in Dr Johnson's Case — 2 purges. Low
diet — thin bodies as Zinc — White
vitriol — &c — To prevent it Opium
have been used with advantage. By
adopting thus varying the above Remedies ~~to the~~
according to the State of the System, I have lately
seldom failed of curing it in its recent state.

Pyrosis

1. A burning pain about the pitt of the sto=
=mach & w: an effusion from the mouth
of ~~a bason for the part part~~ an insipid - but
sometimes acrid humor. —

This disease is sometimes called
gastrodynia. — ~~or~~ This is only a
symptom of it, namely pain. — In
its discription in Dr Cullen - It is a spas=
=modic disease - affecting the muscular
fibres of the Stomach - & perhaps the pylorus.
— It ~~appears~~ is attended with mixture
of ~~actions~~ excess & def? of action - It is to
Dyspepsy - what hysteria is Hypochon.
= driasis - or Hs typhoid fever to Ty=
=phus. —

It affects men & women of
middle ~~old~~ ages - chiefly women & old men.

It occurs from all kinds of diet, but chiefly crops of vegetables. passions & cold feet very apt to produce it. —

The usual remedies are Bitters & Chalybeates but Dr Cullen who as a Scotch physician must have often seen the disease, says they are off generally ineffectual. [This suggests another reason why the disease is of mixed Action] Opium has proper due=ing the pain. It is a rare disease in this Country - owing to more general use of animal food. I have cured generally it by diet - and the common remedies for Dyspepsia. ~~is used successfully.~~

What w? be the effect of cold water or ice water in this disease?

[Nerv: Coli - Symp. tom of Hysteria — causes the same. —

I shall only speak of its cure: no Just Nerv morbid Action —

I formerly treated of Colic under the head of Intestinal State of fever. It is known by Season - other fevers prevailing ~~&~~ bile - & a febrile pulse. I shall now speak of Colic depending upon debility & morbility or exit in the nervous & muscular fibres of the bowels. V

¶ Volney says the Colic is ye most frequent disease in Egypt - owing to a diet of unripe fruit - raw Vegetables - sour milk & ill fermented bread. For predisposition see Dr Thring. p. 153 - Vol 1.

§ From causes induce it, 2 improper, or ill digested aliment. 3 a fault in the bowels as Inflam.n - intus susceptio - Hernia &c. 3 Diseases of contiguous parts as Liver & Kidneys - 4 Diseases of the whole system as Epidemic fevers - Gout - Hysteria - Hypochondriasis &c. — The skin & the bowels have a wonderful consent like antigonist muscles - are subject to the same Diseases as eruptions - peeling off of skin &c. The ileum most frequent Seat of it. Feces formed near its end. —

† Dr Quin supposes Bile to be cause of this Colica Pictonum or dry Belly Ache & not lead - in Jamaica — also ruptures - the Stones of fruits improperly & absurdly swallowed - a Clister - Calculi in the kidneys - this a frequent cause - & new food of various kinds. — tight dresses — Dr Thring says such is the inverted State of the motion of the bowels, that

Colic

"Ch pain in the bowels, with a sense of twisting ab. the navel - vomiting - the bowels generally costive" — not so in Colica Pictonum in Jamaica — according to Dr Quier 130. 123. 127. For its history Dr Cullen — & Dr Thiery Vol: i p. 117.

The predisposing cause is debility.

When it is a local disease, it is from indirect, but as it is generally a disease of the whole system, it is generally from indirect debility.

Its remote causes are every thing y: debilitates the whole system, or the bowels in particular — such as, a sedantary life — habitual in eating — acid or half fermented liquors or acescent Vegetables — or drinking — stones of fruit — — the fumes of lead — Dr Franklin fast upon this subject from St Dr Pringle — Red wines & Champaign & Cyder — are frequently from lead. —

Its exciting causes are — excess in eating or drinking especially of the aliments w: produce the predisposition, cold — sitting up — bile — especially applied to the feet — cold — sitting too — & passions of the mind

they trust in to break Suppositories as well as to determine Glysters to the mouth. — Here is the same inverted motion in the nerves in Epilepsy. It extends from the feet to the head ☞

☿ This disease has its precursor - gentle flatulency - cold feet &c — Here pain &c - ~~for Elicits remedy~~ &c from ☿ to ♃ ☌ - always chuse it — also pedil^m.

I have cured this disease in this way in several instances. — also riding on Horseback. —

N inflam^n and are alike relieved by it - This I mentioned in our Therapeutics.

This pain & spasm sometimes induce inflam^n but they kill without it Vel Morgagni.

[Its proximate is excess or defect of action ~~in the~~ ~~seat~~ in muscular fibres of the Alimentary Canal, ~~This action is generally~~ accomp.d with a Spasm - ~~But I suspect a~~ Stricture on the Gutt. The Spasm alone does not constitute a Colic. It exists in Hyp: = chria & Hypochondriasis without pain, especially in the latter disorder - have the Costiveness - Borborygmi - & even twistings in the bowels which are its characteristic Symptoms. - Excess of action discov.d by inflam.n & mortif.n which follow Colic.] ∨ Its Remedies are ~~=~~

1 where full pulse - & previous habits of health & vigor indicate excess of action; D.S. is necessary. Dr Cullen recommends it in= = discriminately. - ~~I~~ have ~~often~~ found it necessary ~~even~~ where the pulse ~~was~~ indicated no ~~fever~~ fever ~~not very full~~ - in Capt: Revels case - relieved - after Opium had been given to Pain & Spasm call for it as much as ∨ ∨ g purpose. — See Dr Cullen p: 180 upon this subject. -

§ Dr Sherry says the mental Salts check the vomiting better than anything.

+ In four instances, I have given Glysters of Cold water ie of water 20, or 30° below the temperature of the body. — The water of the does good by its quantity. from Di - to Diij proper - In some cases a gallon has been given by a pump continued for ¼ purpose.

+ The Asafatida Dr Quin strains prevents Baby of the Cramps.

2 ~~Laxative~~ purges. — Castor oil — Cremor. ℥
℈ Salts have all been recommended for this
purpose. Dr Cadwallader's method of giving
by giving salts &
Cremor ℥ — & Dr Hebenden's to be preferred —
Lately in the W Indies Gum Guaj: ℥ij sacch ℈ij aq ℥iv —
& crude ℥ — Dr Pellan gave it 3 times without effect. In
3 Emolient Clysters — Dr Cad: never gave ℈j:
for some days — till the bowels were well
impregnated with Cremor ℥. — Grains pale.
During the use of each of these Med:
L Land: must be given in small doses, to
suspend the pain —
violent
After excess of Irritation is subdued —
℥ Opiates may be given in large Quantities. —
& Calumba &c in moderate doses — joined with Asafoetida &c
45 The Semicupium — This I have seen act
like a Charm — After large doses of Opium
have been given to no purpose: It
shews how much the Colic is a disease
of the whole System. —

+ Dr Stubbs recommends Glysters of
Brandy in this disease.
Phil: Trans:
The Turpentine much commended by
Dr Sloane p: 170

6 warm & Stimulating applications to the belly. — A Slit puppy ordered by Dr Dunbarton - a foul & cruel remedy - Any other warm & oily Substance equally proper.

7 Stimulating Clysters from Quassity as turpentine or Smoke of Tobacco or Quantity of as Air or water in= =jected into the bowels so as to fill & Dis= =tend them. Dr Cullen speaks highly of the last. [Belief seldom obt? till Sybella came away. emphysitus - good.]

8 Blisters to the thighs - introduced into practice by a Jew in Jamaica - Shave and them with Success. —

9 Throwing cold water on the feet. The feet & bowels connected. ~~with~~ cold feet one of the exciting causes. Produces revulsion, & general Action in the System - It is Obvious how much the efficacy of this

Dr Francisco Garcia Hernandez recommends Hlugar of lead. It abates action. — Trattado de dolor colico en madrid 1637. 4to p: 58-60. 114. 135.

After all — if V.S. sufficient in the beginning — the Other remedies seldom required.

Palsy treated by stimulating applications to the Belly

Symptoms of a favourable issue H Dr Mc Iver says his Colics always terminated favourably in a large flow of Urine. 2 a great sensibility of the Skin, extending to the inner limbs & Soles of the feet a good Sign. Sheiry p 123 Vol 1.

Ischalla & Crepitus coming away favourable

Highly commended with warm Teas by Dr Gerici

5 worms coming away.

It sometimes ends in Palsy of the limbs, from Sympathy between bowels & extremities.

Prevented by depletion. & the paralysis is from great indirect weakness — or overstretching of the vessels. cured by stimulating applications to the belly.

remedy; also of blisters & the warm bath
Shew that it is a Disease of the whole hys-
=tem. 10 a Salivation. —
I Three remedies ~ water simply:
with Smoke of tobacco, & a strong tea
made with Burdock Leds. I have seen
them both used with success. also, ‡ turn over
‡ Two cases term: favourably by the discharge of
two worms ‖ Prophylaxis

Avoiding all the remote & exciting causes.
These are chiefly in eating / pork - Veal -
& Lamb & chicken - 2 all meats - half
fermented liquors, especially Cyder / Both shd be avoided at
all times, especially at night - at which time
the Colic most apt to occur - also strong
tea - also a mixture of aliments -
tight ligatures - feet of the Shoe - 3 By
obviating costiveness - The three tartars -
Cream: Sal - & epsom: also Asafatida with aloes - ‡
& P.C. 4 By avoiding cold
& wet feet - the fishermans Caquin here
proper? 5 By flannel Shirt ‡ & Exercise

† It sometimes ends in Lientery in ch. w.
case Aliment has been discharged in
five minutes after taking it in the
Mouth. —

7 Hogsland indict 56 & garlic or Onions Drs Barney Saits. especially on horseback — the Intussuscep-
in dict. mrs Stockton cured by Onions. ^
=tio- the usual fatal termin: of this dis-
-order. One case of recovery in mis: mei

Diarrhoea

" Frequent Stools — with pain, — without fever".
Stools seldom bloody — +

It is generally a disease of the whole system,
& depends upon genral debil:y. when it is
confined to the bowels seldom of long duration.
passions of the mind — cold feet —
The Gout - Dentition - & fever producing
diarrhoea all prove it to be a general dis-
=case. — In every Constitution, from Nature
or accident there is a weak part, in ch
Election is induced from Stimuli applied to
other parts of the body. It is immaterial
whether those stimuli are direct, or
indirect — Pain & disease (which are
their Offspring) generally retreat to the
weakest parts. In young people they

fix in the lungs - in old, in the head,
- & in middle age - more frequently in
the bowels. I think I have often seen the
Diarrhœa (during the struggle between acute &
(Vomiting & Cholera)
other two years of human life. — There
is nothing more extraord.y in this, than
the + water in its course should be
absorbed & disappear ~~ungratefully~~ on sandy
ground. — There is often partial as well
as general emetic!! — & ~~It~~ It is no
more wonderful that a stimulus applied
to the Gums, or brain, shd produce Diarrhœa,
than that a Stone ~~shd~~ in the bladder shd
produce pain & itching in the glans Pe-
-nis. — It is an obstinate disease. I know
known instances of its continuing 15
years - & one for life. — like Colic
But it often produced by causes ~~of~~
act primarily on the alimentary Canal,

+ water Drank every Day.

as acrid substances taken into the
bowels + stimulating putrid - or
bowels + indigestable aliment - acrid hu=
=mors poured into the bowels from the
liver - or pancreas - bile - morbid inequality
or excessive in quantity or pus — or
acrid matter poured from the mucous
follicles of the bowels - or acrid mat=
=ter absorbed from other parts as from
the bladder - & perhaps the pores -
=uses - & be exanthemata. May not the
Diarrhoea w: occurs in the last stage
of phthisis, be occasioned by the
absorption & deposition of pus in the bowels,
after the power of expectoration ceases?
— If it arise only from weakness, why
does it not appear in the stomach,
for the digestive is good to the last
Day - or hour of life? Lastly Diar=
=rhoea - may be kept on by Obstruction
pregnancy - Erythematic Erysipelas -

+ In habits disposed to it, I have seen it brought on by a single dose of purging physic.

‡ An Obstinate disease - Often of 15, or 20 years standing - I suspect frequently owing to mixed Action - from the inefficacy of certain tonic medicines ‡ - Gen[l] Gates Wm Smith - D[r] Hutchinson.

of Lacteals, or Dissentary, or by Worms. —
The incurable Diarrhœa's of Children are
often I believe from ~~this cause~~ Obstruction of Lacteals or Mes-
: sentery. Diarrhœa —
I have only to add that from habit
~~It~~ often follows a Dysentery. —

Its proximate cause is preternatural
in the alimentary Canal from excess or
deficiency of excitement. — This action is in
the muscular coats — hence their increased
peristaltic motion. — it is likewise in the
~~Obstruents~~ Secretory Vessels of the mucous glands,
— hence their increased effusion of
mucus.

Cure.

There are but few cases in which this
disease arises from ~~causes of~~ great Morbid action in the
Vessels of the bowels, & that is when it
depends upon plethora thrown on
them. This occurs in pregnancy, &
in the years which lie between

35-& 240 during the Struggle between Art.ª
& Venous plethora. — In this case V.S. is
proper. It is recommended by Dr Dunham
proper. It is recommended by Dr Dunham
& I have seen it used with Success. The pulse
must determine it. Plethora no disease.
2 Purges are often given in this disorder, but
improperly - except Rhubarb. If any acrid
indigestible matter shd be confined in the
bowels or bile - it will evacuate it - It is often
a cooling tonic & astringent - It is less apt to
gripe when tosted. It has often alone
cured Diarrhoea. —
3 Vomits of Ipec.ª are powerful med' in
this disorder. It determines to the Skin -
& opposes the encreased peristaltic motion
Perhaps it suits
of the bowels downwards. - ~~Is sympathetic~~
Stimulus on the Stomach diverts, or
suspends it in the bowels. —
4 Opiates - these shd be given every night.
- ~~The words~~ I once knew a most Obstinate

Diarrhea cured by pills made of Rhub: & Spec: ℞ gr ij ad iij gr ij - taken three times a day. —

5 certain Substances called Astringents. as Gum Kino - Infusion of White Oak bark, by galls - Alum - Extract of persimmons which is a pure Gummy Substance - & a most powerful veg: Astringent. tormentil root & port Wine. - Various ways of using these. One each gall - Brandy & water each one gill - to be boiled to one half. Cork: & tie. Brandy and loaf Sugar - Flour & brandy.

6 Certain Stimulating Substances - as bitters of all kinds. On these I have little dependance - having tried them often in Vain. I have used aromatics as Cinnamon - & Nutmegs with more Advantage. In Symptomatic Dyarrhea from fever, or occasional effusion of bile, or suppressed perspiration, I have known toasted bread soaked in burnt

brandy, & nutmeg grated on it eaten for
supper perform a Cure in one night. I
have likewise given Balo: Copaivæ & turpentine Bills with advantage.
In Certain Decumbents, as Decoction of Gum
Arabic & shavings of Hartshorn with Cin-
-namon - Crumb bread & loaf sugar: — also
Decoction of mullein leaves in milk -
- also - Inset boild in milk. — also
Clysters of Ipa 3ij Opii gr ij & Rice Jelly. &c
& As this disease is often from Acrimony,
Dilucents are proper - as peppermint -
Cmallows - & Chamomile teas. An old
Gentleman of 80 in this city informed me
that he once cured himself of an Obstinate Diarrhœa.
by Drinking Qiij of tweat & water. By its
Quantity it probably destroyed every particle
of Acrimony in the bowels. - Or did it act
as in Clysters in the Colic, by distending
the bowels? —

I ~~Often~~ Blisters - Sometimes cure - but
always suspend the Disease. They should be

applied to the wrists. —

10 Suitable diet - where acid acrimony prevails - known by green stools - Animal diet &c: predominate - where alkaline acrimony prevails - vegetables - has been cured by ripe fruit - especially strawberries. - Porter used in diet - useful! - I once knew it cure it. —

11 Exercise on horseback - 12 Warm Bath.
13 Cold Bath. Dr Irving. —
14 a Sea Voyage. — 15 a Salivation.

16 I once knew it cured by changing the pump water drank every day & used in a family in a woman in this city. This should suggest a caution to examin whether the disease may not be produced by the diet - or drinks of the patients - or the vessels in wh: they are cooked, or drank - or by certain effluvia - from privies. Dr Lind once saw a case of a man in a Chronic Dysentery who for 2 years infected all the persons who

VII But it is often a disease of the nervous system.
It occurs ~~in the~~ in females of fevers & Diabetes.
It is a symptom of Gout, & Hysteria. Sometimes
it rises to Spasm in wch case ~~it has~~ the
pulse falls to 9, & 4 in a minute. The pulsations
are heard sometimes all over a room as in
Dr Read's case, Dr Prescott mentions a similar
case in a man in a Catalepsy, in whom not-
withstanding, there was no acceleration of the
pulse, wch shows the arteries to act ~~indep~~ in part
by a power peculiar to themselves. ~~The nervous~~
~~system~~ from Anemia by being subject to
~~to~~ intervals. Remedies - Vs. - gentle purges - and
all the tonic medicines for Epilepsy & Hysteria.

+ curing in Infants by brown sugar put in their
mouth.

Cure

V With Homœopathic or hygrotonic, these are
to be accommod to the state of the system.
If great morbid action attend - Vs. - ~~after~~
2 Fear. Both act as sedatives - afterwards
stimulants as 3 oil of Amber - Ginger - Cala-
-mus. 4 Holding the breath. 5 Swallows of
water. 6 Porter. 7 Chand: & Ther. plaster.
I have known it two weeks in Dr Duff's &
heard of it - for two years in Virginia.

used the same privy with him. -

the disease

17 Two cases cured by a plumary - ~~a transfusion~~
transplant from the nerv: to
the arterial system ~~to the larynx~~ - as
additional proof of its depending on a general state
of the system. - Palpitatio - see Dr Cullen.
in a man the heart, also

I
~~Plays~~ From Aneurism - the pulse is
difficult transmission of the blood thro' the larges from
full and hard - Of this I have known ~~two~~
Ossification of pul: artery. palliated
instance in Stockholm. to be ~~suspended~~ by temperance,
of mind
equanimity - and rest of body - When a nervous
symptoms known by the name pulse
~~best Remedies for Hysteria~~

Singultus

" A convulsive motion of the Diaphragm "
- common ~~in Infants~~ after laughing - or vio
distention of the stomach from wind. I have
known the eating of an apple (w^h is windy) produce
it. It is generally symptomatic, in fever &c
- but sometimes Idiopathic. ~~Hysteric~~. A sight
common in Infants
or surprise from any cause. R Stimulants.
holding the breath. -
Ginger - Oil of Amber - Cayenne - 3 Porter.
nine swallows in drinking put in this way.
Quere - Opium. Is Obstinate - D^r. Duffield
2 weeks - ~~woman~~ person in Virginia two years.

V

~~Insensibility~~ Insensibility & Imm mob[y] of muscles &
Diminish'd sensib[y] of nerves — Palsy unconn[d]
with brain. Loss of excitab[y] — ~~Paly~~ Disorder
Remedies.
1 Warm Bath — 2 frictions — 3 liniments Cayenne & Hyper &
4 weights. Vol Emit of Opium — Salin[s] ?
~~You~~ is often incurable — goes off of itself in time

in J. Allen.

+ The practice of taking a large draught of cold
water ~~just at rising from~~ early in the morning,
& going to bed — I believe has often contributed
to bring on this disease. In the morning it
takes away the appetite — & at both times,
it debilitates the Stomach. — Et opium as:
= senses it to cold drink often. anger — term
violent —
Vomiting — purging &c"

V

Dyspepsia

The symptoms of this disease are
" want of appetite - vomiting - flatulency
acid eructations - pain in the stomach
called gastrodynia - heartburn, generally called pyrosis
with Cardialgia or Cardialgia - also a discharge from the stomach
called ~~pyrosis~~ Cardialgia or Waters brash. now & then a de-
=sire for ~~food~~ Azotized Aliment - flatus - hiccough.
This disease is sometimes Idiopathic
Symptomatic. I shall only treat of the
first - It is produced by causes which act
directly on the stomach, or indirectly
upon it, thro the medium of the whole
System. —

The 1 are ~~the~~ direct Stimuli. as strong
tea - Coffee - bitters - aromatics - opium - & tobacco -
acid aliments - ~~Opium~~ - & ardent Spirits

2 Frequent repletion with gross food.
3 Frequent D° with watery - ~~hot~~ liquors
hot or cold. B Hawkins case. — +

‖ The excessive use of Sugar. I have known it induced upon a grocer in this city by ~~for~~ tasting 40 or 50 samples of sugar in a day. Dr Hoffman mentions a case of this disease from the excessive use of sugar in Diet.

‖ ~~8~~ v I have seen
Dr
one cases from frequent doses of Nitre for Phthisis. Distribution
& heard of one from nitre after it had cured ascites. —

+ It has been called from its being so often induced by hard study. "morbus studiosorum".

‡ mentions an instance of its being suddenly induced by chewing tartid sweats on the feet.

q Dr Heberden ascribes it frequently to gall stones. —

4 Swallowing Aliment without sufficient
Mastication — called Bolting.
The Case often with Men
of great Business or Study. —
Use of Vomits.
5 Frequent ~~Gly Vomitings~~ as in Spain
6 Rejection of Saliva by Smoking Tobacco-masti
7 ~~Lyon~~ Paul Burkis ~~cure~~ ~~one from~~ Hoffman
The Causes act on the Nerves
and indirectly on the Stomach a
Case 1 Indolent life. 2 Vexation of mind. 3 Ex=
=ces in Venery. 4 Intense Study - especially Attn
& with the Body bent inclined Downwards. +
eating 5 Frequent intoxication 6 Moist &
Cold Air. & Sailing - 7 pregnancy. & Dr Dunn +
Predisposing cause is ~~want of Action in~~
original
the ~~seat~~ local debility. The proximate
morbid
cause is ~~deficiency~~ of Action in the ~~vessels~~
System & in the ~~vessels~~ muscular fibres
of the Stomach invited thither by its debility
Before I proceed to speak of the cure of this disease I shall deliver
a few remarks on the natural & functions of the Stomach.
There is a wonderful Accommod: to
different Qualities & Quantities in Diet in
the Stomach, & instead of being surprized
at its diseases, it is truly surprising

that diseases of the stomach are not more frequent considering how much we expose it to injuries from Cruelty - heat - cold - moisture - & excess in our meats & Drinks. —

a 2nd remark is obvious here, & that is the intimate Connection of the stomach with every part of the body. Dr Hunter places the principle of life in it, & Dr Cullen calls it the Index of the Nervous System. Our pleasures & pains - nay even our Virtues and Vices are often influenced by a Disorder of the Stomach - A respectable Clergyman formerly of this city the Revd Dr Peters was always peevish till he had eaten his breakfast. Lord Chesterfield says the courage of many a heroe & the hopes of battles have often turned upon the effect of a plentiful & stimulating breakfast aided by a Dram shining

morning. The Duke of Malborough was
not insensible of the ~~in~~ influence of the diff.
states of the stomach upon courage - hence
he is said to have declared that were he fight
a battle for the empire of the world, he with
an Army composed of British subjects he
would chuse - Englishmen - Irishmen - Dutch - &
& Scotchmen with empty stomachs. ~~& Irish~~

But Card De Retz carries his ideas of the
influence of the diffirent states of the sto-
-mach still further. He supposes that
they act upon the councils of a nation &
hence he advises never to make a motion
in a popular assembly just before din-
-ner. For the same reason I would
advise Solicitors for private or public
charities always to present their subscription

V Perhaps a request for the hand of a Lady might be more readily granted under the same circumstance.

3 The healthy state of the stomach is intimately connected not only with the Activity of mind & health of the whole body, but with longevity. I have never met with a very old man who had laboured under the disease of which we are now treating, & were I to under- take to write a man's life, one of the first questions I would ask should be whether he had ever been much afflicted with a diseased stomach. This fact is intended to show how important it is to prevent & cure Dyspepsia.

papers after Dinner. V

The most frequent cause in this country of Dyspepsia is an excessive quantity of vapid aliment. This is confined in Scotland chiefly to the Germans who live much upon Salads & an acid aliment prepared from Cabbage, & who labour beyond the ratio of the strength afforded by it. From the large use of Animal food in Britain among the laboring class of people it is much more common among them from that cause than among the laboring poor in this country.

2ly The intemperate use of ardent spirits. The Dyspepsia from this cause has some symptoms peculiar to itself. They are sickness. Vomiting & tremors in the morning, a pallid face - a little bloated - no appetite for breakfast till a time is given to the Stomach by a dram, - a peculiarly offensive breath - almost inflammable - burning in the soles & of the

V These distressing & often fatal consequences of hard Drinking are perhaps more common in the Ustates than in any country in the world. The causes of it are 1 the low price of Spirits. 2 The extremes of heat & cold which dispose to the use of Spirits in order to obviate them. Time has been called "dax rerum" — perhaps it would be equally proper to say of the ~~middle~~ climate of the US. that it is "calida dax hominum". ~~To add to the destroying influence of~~ To add to this debilitating influence of our climate by the intemperate use of Spirits is like lighting a candle at both ends. There are an hundred ways in which the extremes of heat & cold might be avoided without having recourse to the use of Spirituous liquors.

feet, & palms of the hands — a dry skin & viscid
These are its symptoms. Its consequences are
saliva. - Swelled legs - obstructed viscera - dropsy
-jaundice - Epilepsy - mania - apoplexy - death.

E The Dyspepsia from this Cause is peculiar
to the following Occupations : 1 Schoolmasters.
2 Writers - 3 Soldiers - 4 Sailors 5 Coachmen,
& Low shall I add - 6 physicians. -
Stupidity - & ignorance - probably led all these
descriptions of people to the use of rum. Their
laborious employments destroy excitement - hence
they retreat to Rum as a Stimulus to restore it.
- But from its great diffusibility it affords a
temporary relief - and hence the rapidity for
the frequent repetition of it & hence its habitual
use, & all the destructive Consequences which
arise from it. I grant that in great ex=
=penditure of excitement & excitab.y something
is necessary to support the system. The
Romans used Garlic, & to & friends. Thousand

+ A few grains or corns of pepper taken after Dinner. This is highly commended by Dr Dar-
-win. I know them to be very useful in what is called the sick Head Ach.

V. This medicine should be prescribed to relieve the heart burn which takes place in this disease. Unskimmed milk is best for this purpose. The aid of the stomach is decomposed by the milk, & is afterward absorbed by its oily & Cheesy parts.

+ This medicine eases the pain from Spasms in the stomach & the Colic in the disease.
- It likewise enables the Stomach to digest food, when taken just before a meal. Dr Whyt mentions the case of a Lady who always took 9ii XXX of Laud: before she sat down to her dinner, & I once breakfasted w. a physician in this Country who always took a 9r; of Opium before he began to eat in the morning.
& a Blister to the pit of the Stomach. This is highly

& insatiable stimuli we find sustained the
Israelites in Egypt under the pressure of the
severe toils imposed upon them by their
task masters. — They even became agreeable to them
from habit — & hence we find they remember
with pleasure the leeks & the onions, & the garlic which they eat in
Egypt when they feared themselves in danger of
perishing from hunger in the wilderness —

Divide
The Remedies for this disease between
themselves into two kinds.
1 palliative & 2 Radical. ~~To begin with the~~

The Palliatives are

1 Magnesia Alba & limewater —
2 Alkali — vol: & fixed. A teaspoonful taken after din:
3 Common Salt — ~~useful after dinning to pro-~~
~~full meal by aiding its digestion easy~~ prevents the usual
~~to digestion~~
efforts of indigestion.
4 common salt & lime juice ℥i of the former & ℥ss
of the latter with ℥ij of water, ℥i
5 Milk — destroys heart burn which is
from Acidity — ~~Curds~~ Curds of the milk
& obtund
involves the acid — we see it in medicine they.
+
& Opium + ~~ease pain, best given in pepper~~

commended by Dr Darwin. 9 a moderate degree of compression upon the Stomach ~~after~~ by a tight waistcoat after a meal. 10 friction on the Stomach after a meal. 11 a bladder with water from 110° to 120°: applied to the Stomach after eating. ~~12~~ ~~Hogs eat Coal~~ ~~waistcoat~~, ~~to~~ When hogs surfeit + These is a Head Ache depending on Dyspepsia to eat Corn, it is common to give them Charcoal. ~~called the Sickhead Ache. cured by a Vomit~~ The Carbonic ~~acid~~ is probably the remedy here. Girls ~~or in Dr Darwin's case 2 By Medicine cured~~ often eat it to cure the Sickness &c. 4 3 Opium allowds Chlorosis.

‡ The morbid action in the Stomach is so great in some cases, that this or some other mode of depletion is absolutely in order to prepare the way for 3rd.

~~12. Lost Sweat by spte via Conspt~~

Bdy

Mint ~~water~~. Tast of Dr Scott always took a pill of opium after eating to digest a meal. —
6 Dr Whyts Tast of a Lady who took it before a ~~meal~~.
6 Laxative Med.:- as aloetic pills &c. 6

~~& Madison borne as Morris's case~~

71 Radical Remedies. 1. Defect.

~~Desiring~~

~~1 Avoiding all the remote Causes~~

† Vomits - of vit: all: or Ipec: - ~~recommended~~ began the cure
~~recommended~~ - I have frequently ~~used them~~, but
of this disease w^th these remedies & generally advantage.
~~of late by Mr Morris's case~~, & with success †

2 Stimulants. These are 1 vegetable ~~Tonic~~
bitters - as camomile - gentian - lignumvood -
~~Quassia~~ Centaury -
Quassia &
above all columba root - (from ʒi to ʒj
in infusion or powder,
dry, or in an infusion) - all these
bitters best when infused only 2 hours.
They shd not be used together, & shd be changed
& shd not be used too long - as they become
indirect debility.
~~indirectly Stimulants~~ 2 acid vegetables,

as Mustard - Horseradish - & above all
black pepper,
Garlic - nutmeg - spices & too strong but
berries - orange peel -
Juniper - aniseed - or fennelseed to be pref^d.
- should be infused in water - wine - or sp^s:

animal
consisting of solid food only. Wild fowl venison & fish shd be preferred to Domestic Animals. Beef - & mutton - to veal - Lamb & pork - & full grown poultry - to chickens. - They shd be ~~thoroughly~~ kept till done - they are tender, & be thoroughly done - for in this way they are easiest of digestion. Salted meat & fish are often well received by the stomach when ~~all other~~ fresh meat & fresh fish are rejected. Oysters & soft boiled eggs ~~are best~~ when eaten for several months by delicate or invalids have often cured this disease. Toasted cheese ~~too~~ but being little disposed to fermentation often lies easy upon the stomach & shd be tried, when other articles of diet are rejected. Broths - ~~tea~~ tea - Coffee - whey - Gruel & liquid food of all kinds should not be tasted. If Broth is eaten it should only when absorbed in toasted bread or biscuit,

for bread should be taken in no other form and no vegetable except perhaps a potato should be taken with the above diet. Even ~~liquids~~ should the Drinks proper in this disease should not be taken during the time of a meal for for some time before & after it, & that for the following reasons. 1 It dispose the food more rapidly to fermentation. 2 it dispose it to

Dr Cullen advises Bark — have not found
on the contrary - it has done them
it so useful as simple bitters ℞ — 3 Saline
& metallic Stimulants - as Elix.ᵃ Vit: - Pulv:
Chalybis, or Sal Mantis in pills - The first
best in doses from ℈i to ℈i - every morning
disguised with any bitter. I depend more chiefly upon
the Rubigo ferri Steel or oxyd of Iron
than on any that have been
mentioned. —

The Diet ~~accommodated to the disease~~. This of
the utmost importance - without wch no Medc
will cure the disease. — It divides itself into
quality — quantity — & time & manner of taking
it. Animal food of peculiar kind has been
prefer'd - as Beef - Mutton - Venison - and
raw oysters - salted meat - & fish.
wild fowl They are more Stimulating, and
digestion
easiest of Solution in the Stomach. They shd be
be taken in small Quantities often in the day:
or roasted shd be taken
- Biscuit alone with them - No Drink with them
all liquids as tea - coffee - broths when quick shd be forbidden
more
Exercise. It disposes them more rapidly to
actions of fermentation: It disposes them

V The smell of food often destroys the
Appetite - patients in this disease
should therefore not set down to a plen-
-tiful table, from which large efforts
rise, but eat by themselves. - 3 modes of exciting appetite
It
Appetite sh? be surprised by unexpected
viands, or dishes, for Anticipation
weakens the Appetite. The dishes sh? be
small. Result the Fact of horses. - They always
little is given to them at a time & 3 It sh?
be kept from a neighbours.
+ 4 where animal food is rejected, and where
all the modes that have been mentioned to
2 by
weak it to retain food have failed vegetable
aliment should be given. I have known
a diet of roasted turnips in one instance,
and of heard of roasted apples in another
persisted in for several weeks to cure this

3 It removes the food beyond the action of the gastric juice, & to rise from the pyloric of the Stomach & it disposes the food to flow into the Duodenum before the process of digestion is completed. To render this food effectual, each kind must be taken alone - & perhaps the Sweep depends upon not changing it. - If the Stomach under all the circumstances mentioned, still rejects the above articles of food - let the patient take them in bed. Mineral waters often retained in this way. Debility is most liable to be excited into morbid action. Exercise in this position of the body. Nursing women seldom complain of sickness till they rise from their beds - & even sea sickness is caused by lying in bed. Hence much mischief often done in cases of debility or disease of weak action by forcing our patients out of bed, & to take exercise. There are cases where a man's only putting on his cloaths produces as much fatigue as walking 30 miles in day would do to a man in consumption +. Hydrocyanum commends

disease. ~~I was [illegible] has~~ Dr Hunter mentions
a case being performed of a most deplorable
case of Dyspepsia in a boy by nothing but milk.
He began by giving Coch: i qh: - after a while
he took it in large quantities, & finally was
able to eat all kinds of food.

it is well known

+ Oil which is more prop than Butter
forms the nourishment of many
Eastern Nations.

it in Mania with great debility. But what shall we say to milk & veg: food as turnips causing Dyspepsia? Dr Young & Dr Hunter's facts of milk & Mr Lewis's of turnips — Why that the excit.y of the Stomach was so great that it would bear no other stimulus without vomiting. Perhaps their curing simple diet or tabm alone helped them. The essay on Harmony of Aliments. a subject as yet involved in much Obscurity. I have started it — go on & add facts to it.] It is common to forbid Butter, & all fat meats in Dyspepsia. I have not found them so injurious. Butter certainly resists the acetous fermentation so excessive in the stomach in this disease. Dr Cullen supposes that it seperates the fibres of animal food, & thus helps its solution & digestion. All the Lon Obsers witness to its promoting the digestion of fish. It agrees with the tender stomachs of children. + There are cases from peculiar

+ From its stimulating & nutritious qualities
I generally forbid it in ~~the~~ diseases of
plethora, & of excessive ~~pow~~ action, but
v ~~Directions~~ Like an idle ~~idle~~ School boy
when ~~empty~~ ~~he has nothing to do, he~~
empty, it never fails to do mischief,
~~from~~ The debility induced by the Absence of
all stimulus. I generally advise my
patients in this ~~dis~~ case to eat 6 inst
of ~~two~~ 3 meals a day. Sometimes I
advise them to eat in the night.
It prevents sickness in the morning.
I ~~do~~ have more than once advised

Idiosyncrasy where it cannot be borne,
& so there are of course many than hundred other
things. + it is ~~it is~~ when no sick head ache attends,
when not ^ taxed - nor taken in
too large Quantities - ~~& continued long~~ ^ & well received, it is
when ~~wholesome~~ agreeable - never improper in
Dyspepsia, - ~~Dr Abercrombie's Speech~~ especially where it does not disagree with
the Stomach. add

I would further to this subject, that the
Stomach should never be quite empty. ~~It~~ V
invites morbid action ~~of~~ this
passion flatulency - Spasm &c.) - ~~&c~~

5th The drinks in this disease should be
Madeira or sherry wine & water - or Porter -
& these two last - Brandy & water. have been recommended. This
should be used with great caution - Dr Gothergill
lamented in the close of his life that he
had been the innocent instrument of making
many lose by recommending Brandy & water,
as an habitual Drink.
— If the stomach can bear it - simple
water, or toast & water - not too cold, &

patients to carry dry bread & peices of meat cut up together in a box, instead of Tobacco, and be taken where they go from home. —

a

+ I have heard of ~~two~~ teacups full of hot ~~salt~~ with salt dissolved in it water drank before a patient rises out of bed for six weeks during in this disease.] — + Exercise on horseback.

+ After all Remedies fail a Salivation — Prioleau, Case.
by it 1800 & many others.

Contrivance Should be carefully avoided by drastic purges &c — urine by Cant. Bil, or salts.

+ This disease is very apt to end in Delirium, & Coma — in which case the patients die with great pain. It was probably the cause of the death of Dr Senter of R: Island
his blood tiny to the last day of his life.

be prefer'd — The want of stimulus in it
a pleasant bib of any kind. † Dr Elder
may be supplied by ~~substitute~~

6 gentle exercise on horseback should be
advised daily in good weather.
7 costiveness should be carefully avoided, & should
& all its remote & exciting causes before eman-
=nerated, = and none more than wet & cold
feet.
9 If all the above remedies fail, a salivation should be resorted to. ~~I know~~ I have several times cured it by this remedy — One publickly in the year 1800 in a man of the name of Privleare in the Penn: hospital. F V Is water necessary in this disease? — Yes — it is — when the great pain, & a full strong pulse indicate great morbid action. I have twice bled it with advantage. qoi Mr Kean; man

[Spirit ~~of~~ of wine ~~camphor~~ — also in a water melon]
— It was by means of ~~the~~ this association of ideas that ~~Isaac~~
who was so well skilled in the learning
of the Egyptians ~~was~~ and the Israelites

+ of Religion should be tried when every thing
else fails. I have tried ~~them~~ several times radically
by it. — seen it cured

V In all cases of Dyspepsia, gen-
-tle Exercise especially on horseback
should be recommended. —

of idolatry. He made them drink a solution
of Gold in water probably made by Aqua Regia 4ois - This
is very bitter & nauseating - hence when they
think of worshiping an idol of any kind,
this remembrance of that nauseous liquor
would not fail of producing an associated
abhorrence of the sin of idolatry. The influence
Sea useful to prevent use of Spirits. Authr.
Bennets remark IV

The Dyspepsia from Seasickness - is cured
1 By laxatives - 2 Opium. - 3 tying up the
Stomach 4 By lying with the head below the
heels 5 By always leaving some aliment
in the stomach. 6 By cold Bath - discovered by
accident. 7 By Brandy & Salt Water of each two
Ounces. —

I shall treat of Dyspepsia - from pregnancy
under Diseases of women. —

V 1 To prohibit the taste - smell - & even handling of Spirits in any form &

2 to substitute for a glass of wine - malt liquors - or some aromatic bitter in this room. I have often tried this mode of curing the intemperate use of Ardent Spirits, & now & then with success. But the principal cures that have been effected of this melancholy habit have been by Remedies of another kind - such as